



Thermodynamics of Urban Heat Island and its Impacts on Urban Climate

¹Akiang Joseph U, ²Ochiche, Christopher A. & ²Ishoja Fidelis L.

¹*Department of Geography, Federal College Of Education Obudu, Cross River State, Nigeria*

²*Department of Geography and Environmental Science, University of Calabar, Nigeria*

Receive February, 2026, accepted and published April, 2026

Abstract

The Urban Heat Island (UHI) phenomenon is a significant environmental challenge associated with rapid urbanization and modification of natural land surfaces. This paper examines the thermodynamic principles underlying UHI formation and evaluates its impacts on urban climate. Specifically, the study aims to explain the heat transfer processes and energy balance alterations that contribute to elevated urban temperatures, as well as assess their effects on temperature, humidity, air quality, and energy consumption. The study adopts a qualitative conceptual research design based on a comprehensive review and synthesis of existing literature from peer-reviewed journals, textbooks, and scientific reports. Relevant information was analyzed through thematic and narrative approaches to identify key thermodynamic mechanisms, including radiation absorption, heat storage, convection, conduction, evapotranspiration, and anthropogenic heat emissions. The review revealed that UHI significantly modifies urban climatic conditions and poses environmental, economic, and public health challenges. The paper highlights sustainable urban planning and green infrastructure as critical strategies for mitigating UHI effects and enhancing urban climate resilience. The paper therefore concluded that urban heat island effect is a significant thermodynamic phenomenon that results in elevated temperatures, exacerbating the challenges cities face in terms of energy consumption, air quality and public health. It was recommended among others that urban green spaces should be created during town planning and sustainable development is a must for all cities.

Keywords: Urban Heat Island; Thermodynamics; Urban Climate; Surface Energy Balance; Heat Transfer.

Introduction

Thermodynamically, urban heat island can be understood as the result of altered energy balance in urban areas. In rural areas, the natural processes of evapotranspiration, soil moisture, and vegetation shading help regulate temperatures by cooling the environment. In contrast, urban areas lack sufficient vegetation, and the materials used in construction such as buildings, roads and pavement absorb significant amounts of solar radiation, which they release slowly over time, contributing to higher night-time temperatures (Staphopoulos & Zannetti, 2019). This leads to prolonged heat exposure, exacerbating the effects of heatwaves and increasing the demand for energy-intensive cooling systems.

In addition to thermal discomfort, the urban heat island effects have been linked to poor air quality and health risks. Elevated temperatures can increase the formation of ground level ozone, a major component of smog, which negatively impacts respiratory health. As cities grow and climate change intensifies, understanding the thermodynamic principles that govern urban heat island is essential for developing effective mitigation strategies. These strategies including green infrastructure, cool roofs and urban redesign, can help reduce the intensity of urban heat island and improve the resilience of cities to climate change (Islam, et al, 2024).

This paper aims to examine the thermodynamics of the urban heat island effect and its impact on urban climate, focusing on how energy absorption, heat retention, and the properties of urban materials contribute to elevated urban temperatures. Moreover, it discusses the broader implications of urban heat island on air quality, energy demand and public health while exploring potential strategies to mitigation.

Objectives of the Study

The objectives of the study are to:

- i. Examine the thermodynamic principles underlying the formation and intensification of the Urban Heat Island (UHI) phenomenon.
- ii. Analyze the roles of energy balance, heat transfer and surface–atmosphere interaction in urban environments.
- iii. Explore the impact of Urban Heat Islands on urban climate variables, including temperature, humidity, precipitation, and air circulation.
- iv. Synthesize existing theoretical perspectives and conceptual models explaining UHI dynamics and urban climate modification.
- v. Identify and discuss mitigation strategies for reducing Urban Heat Island intensity in urban environments.

Thermodynamic Principles of Urban Heat Island Effect

Energy absorption and heat retention: One of the core thermodynamic processes driving the urban heat island effect is the altered energy balance in cities. The primary thermodynamics principles behind urban heat island is the absorption of solar radiation by urban surfaces which store heat during the day and slowly release it during the night. Urban surfaces, particularly impervious materials like asphalt, concrete and dark-coloured rooftops tend to absorb more solar energy than surfaces such as vegetation or water due to their lower albedo (reflectivity). Albedo is defined as the fraction of solar radiation reflected by a surface (Encyclopaedia Britannica, 2026). Darker surfaces such as asphalt, have a low albedo (0.05-0.25) meaning they absorb up to 95% of the solar energy they receive, whereas lighter-coloured surfaces (like grass or snow) reflect a significant portion of sunlight (Oke, 2017).

The higher thermal mass of urban surfaces such as concrete and brick allows these materials to absorb and store heat during the day. The heat is then gradually released during the evening and night, resulting in warmer night-time temperatures in urban environments. The phenomenon known as diurnal temperature lag is one of the primary reasons cities experience warmer nights compared to rural areas (Stathopoulos & Zannetti, 2019). During daytime, the sensible heat is transferred from the ground to the air, raising the air temperature in urban areas. The heat absorbed by surfaces such as buildings, pavements and streets is not immediately released back into the environment. This delayed release of heat contributes to night-time temperatures, exacerbating the urban heat island effect (Taha, 2017). In cities where human activities (such as transportation, energy consumption and industrial operations) produce additional heat, this cycle of heat absorption and release intensifies.

Role of vegetation and evapotranspiration: In natural landscapes, vegetation plays a significant role in cooling the environment through evapotranspiration. The process involves the release of water vapour from plants which absorb latent heat, effectively cooling the surrounding air. Urban areas, however, often lack sufficient green space, reducing the extent of evapotranspiration and

contributing to higher local temperatures (Alonzo et al; 2025). The near absence of vegetation in cities exacerbates the urban heat island effect by eliminating a natural cooling mechanism and increasing the overall thermal load of the environment. Research has shown that urban areas with higher amounts of green space and vegetation exhibit lower temperatures due to the cooling effects of shading and evapotranspiration. Green infrastructure such as urban forests, green roofs and parklands can help reduce the urban heat island effect by increasing evapotranspiration and shading which lowers amount of heat absorbed by impervious surfaces (Akbari et al, 2019). Shaded areas experience less heat absorption and store less heat, thus helping to cool the surrounding areas during the day and reducing night-time temperature. In addition to reducing the urban heat effect, vegetation contributes to biodiversity and storm water management, further enhancing the environmental quality of cities (Alonzo et al; 2025). Trees and plants not only help to mitigate urban heat but also play a role in improving air quality by capturing pollutants and reducing carbon dioxide levels in the atmosphere.

Urban heat transfer processes: Urban areas experience heat transfer through a combination of sensible heat, latent heat and radioactive heat. These processes are integral to understanding how heat accumulate in cities and how it is released into the environment.

Sensible heat: Sensible heat refers to the heat that can be measured by a thermometer which directly affects the temperature of a system. In cities, sensible heat is transferred from the ground to the atmosphere during the day, raising the temperature of the surrounding air. At night, this heat is slowly released back into the environment, contributing to night-time temperature. This thermal inertia of urban materials, including concrete and asphalt causes them to retain heat for longer periods, thus extending the duration of the heatwave (Oke, 2017).

Latent heat: latent heat refers to the heat required to change the phase of a substance such as when water evaporates or condenses. In natural environments, water evaporation and evapotranspiration are significant cooling processes that help reduce the temperature of the

environment. However, in urban areas, the lack of vegetation and natural water bodies reduces the cooling effect of latent heat. This causes more sensible heat to accumulate in urban surfaces, increasing the overall temperature (Akbari et al, 2019).

Radiative heat: urban surfaces, particularly those with low albedo absorb solar radiation during the day. This radiation is re-emitted as longwave infrared radiation during the night, further contributing to the warming of urban areas (Azam et al; 2025). The building of thermal radiation from urban surfaces is an essential driver of the urban heat island effect as it adds to the ambient temperatures and prolongs the heat retention cycle.

These processes are compounded by heatfluxes from human activities, including industrial heat emissions, vehicle exhaust, and air conditioning systems which add to thermal local of urban environments. This anthropogenic heat amplifies the urban heat island effect by introducing additional heat that does not follow the natural energy cycle (Islam et al; 2024).

The Thermodynamics of Urban Heat Island in Nigerian Cities

Heat absorption by urban surface: In cities like Lagos and Abuja, the urban landscape is dominated by impervious surfaces such as concrete, asphalt, and metal. These materials, common in the construction of roads, buildings, and infrastructure, absorb large amounts of solar radiation during the day. For instance, in Lagos, much of the city's surface consists of asphalt roads which have low reflectivity, contributing to significant heat absorption (Ibeabuchi et al; 2024). The high thermal inertia of these materials means that heat is retained and slowly released during the night, leading to warmer night-time temperatures. A study by Oguntunde et al; (2021) found that urban areas in Lagos experience a night-time temperature differential of up to 4°C higher than surrounding rural areas, intensifying the urban heat island effect.

Limited green spaces: Urban vegetation plays a key role in mitigating the urban heat island effect through evapotranspiration, a process where plants release water vapour, cooling the surrounding air. However, cities like Lagos and Abuja suffer from lack of adequate green spaces.

In Lagos, urban sprawl has led to the depletion of natural vegetation, especially along the coastline. This loss of greenery reduces the cooling effect that vegetation provides, contributing to the urban heat accumulation (Owoeye & Ibitoye 2020). In Abuja, rapid development in the city center has led to the conversion of open spaces and forests into built environments, further diminishing the natural cooling effect of vegetation (Adeniji et al; 2021).

Anthropogenic heat: Nigerian cities also produce significant amounts of anthropogenic heat due to human activities, particularly in Lagos, a major economic hub. The high population density and energy consumption from industrial activities, vehicular traffic, and air conditioning units further exacerbate the urban heat island effect. A study by Egbinola et al (2019) showed that Lagos air temperature during peak hours was influenced by traffic emissions and energy usage, leading to a local warming effect.

Impacts of the Urban Heat Effect on City Climate

Temperature increase: The most noticeable consequence of the urban heat island effect is the increase in urban temperatures compared to surrounding rural areas. Research indicates that cities can be up to 5-10⁰c (9-18⁰f) warmer than rural areas, particularly during summer months and at night (Assenova et al; 2024). The urban heat island effect is most pronounced in densely populated, highly developed areas, where impervious surfaces dominate, and green spaces are minimal. This increased urban heat load results in higher energy demands for cooling, worsened air quality and increased stress on public health systems (Yang, et al; 2024). One of the most significant thermodynamic consequences of urban warming is the extended duration of heat exposure. While rural areas may cool quickly after sunset due to the natural processes of heat radiation and evaporation, urban areas retain heat for longer periods, resulting in warmer nights. This diurnal temperature lag can be particularly problematic during heatwaves when it impedes the body's natural cooling processes and increase the risk of heat related illnesses such as heatstroke and dehydration (Joshi et al, 2024).

Air quality and pollution: The urban heat island effect also contributes to poor air quality in urban areas as high temperatures can accelerate the formation of ground-level ozone. Ozone is formed when Nitrogen Oxides (NO_x) and Volatile Organic Compounds (VOCs) react in the presence of sunlight. The elevated temperatures in urban areas caused by the urban heat island effect enhance these chemical reactions, leading to the formation of ground-level ozone, a major component of smog that can have adverse effects on respiration health (Yang et al; 2024). In addition to ozone, urban heat island can exacerbate the concentration of particulate matter (pm 2.5) and other pollutants that contribute to urban air pollution. Elevated temperatures increase the rate of evaporation of airborne pollutants, making it more difficult for these substances to dissipate. The result is an increase in air pollution that can trigger respiratory conditions such as asthma and bronchitis, particularly in vulnerable populations (Yang et al; 2024).

Energy consumption and demand: The urban heat island effect significantly impacts energy consumption, particularly in cities that rely heavily on air conditioning and cooling systems during the warmer months. The increase in ambient temperature due to urban heat island drives up the demand for electricity which can lead to energy shortages and power outages, especially during peak heat events (Islam et al; 2024). The additional energy demand places pressure on electricity grids and leads to higher greenhouse gas emissions, particularly if the energy is derived from fossil fuels. As the urban heat island effect drives energy demand upward, it creates a feedback loop; higher energy consumption results in more heat being released from power plants, which in turn exacerbates the urban heat island effect. The increased energy usage also contributes to the urban heat load, as energy-intensive cooling systems release heat into the environment, further raising local temperatures (Akbari et al; 2019).

Public health risk: The urban heat island effect poses significant risks to public health, especially during heat waves. Prolonged exposure to extreme heat can lead to a range of heat-related illnesses, including heat exhaustion, heat stroke, and dehydration. Vulnerable populations

such as the elderly, children, and those with pre-existing health conditions, are particularly susceptible to the adverse effects of extreme heat (Lee & Lee, 2024).

The thermal stress caused by the urban heat island effect can increase the incidence of cardiovascular and respiratory diseases, particularly in urban areas. In addition, the elderly and individual living in low-income neighborhoods are particularly vulnerable to the adverse effects of urban heat island because of limited access to air conditioning or green spaces (Ebi & Capon 2022). High temperatures also disrupt the thermal comfort of urban dwellers, particularly during night-time when temperatures fail to drop significantly. Prolonged exposure to high night-time temperatures can interfere with sleep patterns and increase the overall strain of human health (Harlan et al; 2016). For those without access to air conditioning or cooling systems, the risk of heat-related morbidity and mortality increases during heat waves.

Methodology

Research Design

The study adopted a qualitative conceptual research design based on extensive review and synthesis of existing literature on Urban Heat Island dynamics and urban climatology. The paper relies on established thermodynamic theories and previous empirical findings to explain the mechanisms and impacts of the Urban Heat Island phenomenon. Relevant literature were selected based on its relevance to Urban Heat Island studies, thermodynamic principles, urban energy balance, heat transfer processes, and urban climate impacts. Preference was given to recent and highly cited publications that provide scientific explanations and empirical evidence regarding Urban Heat Island formation and consequences. Information gathered from selected literature were subjected to thematic analyses and narrative synthesis. Key concepts relating to radiation balance, heat storage, conduction, convection, evapotranspiration, and anthropogenic heat emissions were examined and integrated to provide a comprehensive understanding of the thermodynamics of Urban Heat Island and its influence on urban climate.

Scope of the Study

The study focused on the thermodynamic mechanisms responsible for Urban Heat Island development and their implications for urban climate, including temperature modification, atmospheric conditions, energy consumption, environmental quality, and human well-being.

Mitigation Strategies of Urban Heat Island Effects

Given the wide spread impacts of the urban heat island effect on urban temperatures, energy consumption, air quality, and public health, a range of mitigation strategies has been proposed and implemented to address these issues. These strategies focus on reducing heat absorption, increasing cooling mechanisms, and making urban areas more resilient to the effects of extreme heat. The strategies are:

Green infrastructure and urban planning: One of the most effective ways to mitigate urban heat island is by incorporating green infrastructure into urban planning. Urban green spaces such as parks, gardens, and tree canopies can provide substantial cooling through both shading and evapotranspiration. Shaded areas experience less heat absorption, while evapotranspiration reduces the ambient air temperature by absorbing latent heat (Tzoulas et al; 2017). Incorporating green infrastructure into urban design not only lowers temperatures but also enhances biodiversity and improves air quality by capturing pollutants and carbon dioxide (Akbari et al; 2019). For example, green roofs, roofs covered with vegetation have been shown to reduce the amount of heat absorbed by urban buildings, lowering indoor temperatures and reducing the need for air conditioning (Santamouris et al; 2021).

Street trees and urban forests also help reduce heat and improve thermal comfort by providing shade and contributing to local cooling through evapotranspiration (Tzoulas et al 2017). Strategic urban planning can further help mitigate urban heat island by promoting the use of permeable pavements instead of impervious materials. These materials allow rainwater to infiltrate, reducing heat retention and improving soil moisture which enhances evapotranspiration. By

incorporating green corridors and increasing vegetation in urban areas, cities can reduce the thermal load, promote cooling, and improve urban livability (Alonzo et al; 2025).

Cool roofs and pavements: The use of cool roofs, the roofs that are designed to reflect more sunlight and absorb less heat has become a widely recommended strategy for reducing urban heat island effects. Cool roofs are typically made from reflective materials such as light-colored coatings or specially designed reflective shingles which increase the albedo of urban buildings. By reflecting a larger proportion, of sunlight, cool roofs reduce the amount of heat absorbed by buildings and this lower surrounding air temperatures (Akbari et al; 2019). Additionally, cool roofs can also help reduce energy consumption by lowering the need for air conditioning in buildings ((Akbari & Kolokotsa, 2022).

Cool pavements made from materials that are lighter in colour or more reflective than traditional asphalt can also reduce urban heat island effects by increasing surface albedo. Studies have demonstrated that reflective pavements can help lower urban surface temperatures by reducing heat absorption (Santamouris et al; 2021).Implementing these materials in roadways, parking lots, and sidewalks could have significant impact on reducing local temperatures, particularly in densely built urban areas where asphalt and concrete dominate.

Urban design and zoning policies: Urban design plays a pivotal role in mitigating the urban heat island effect by promoting sustainable construction practices and reducing impervious surfaces. Cities can adopt zoning policies that encourage the use of high-albedo materials in construction, ensuring that new buildings and roadways are designed with energy efficiency in mind. Urban density and the placement of buildings also influence heat retention. Planning for spatial cooling, arranging buildings to maximize heat buildup, can reduce the localized intensity of urban heat island effects. Moreover, zoning policies that prioritize the integration of green spaces and encourage reduction of impervious surfaces can significantly help in cooling urban areas. For instance, many cities have introduced policies that require a certain percentage of

green cover in new developments or mandate the use of sustainable building materials (Akbari, 2019).

Water management: Another important mitigation strategy is improving storm water management systems in cities. Urban wetlands, pond and rain water harvesting systems can help regulate temperatures by increasing local evapotranspiration and improve soil moisture. Water bodies such as fountains or small lakes also contribute to cooling the surrounding areas by absorbing and releasing latent heat during day and night (Tzoulas et al; 2017). Additionally, implementing permeable pavements or green stormwater infrastructure can enhance water infiltration and reduce heat retention in urban landscapes. Water management also plays a crucial role in cooling cities during extreme heat events. For instance, introducing more public water fountains or sprinkler systems in urban parks can provide temporary cooling during heat waves and increase public comfort.

Conclusion

The urban heat island effect is a significant thermodynamic phenomenon that results in elevated temperatures, exacerbating the challenges cities face in terms of energy consumption, air quality and public health. Through a detailed understanding of energy absorption, heat retention, and the thermodynamics of urban materials, we gain valuable insights into how urban heat island forms and how it can be mitigated. The integration of green infrastructure, cool roofs, permeable pavements, and improved urban planning holds great promise in addressing the urban heat island effect and promoting more sustainable, liveable cities. These strategies not only mitigate climates but also contribute to better air quality, reduced energy consumption, and improved public health. As urban areas continue to expand in the face of climate change, it is essential to adopt thermodynamically-informed approaches to urban planning. Future research should focus on refining mitigation strategies through advanced modeling and real-time data collection, exploring the relationship between urban heat island and socio-economic factors, and promoting policies

that ensure equity in heat protection for vulnerable populations. The future of urban resilience depends on understanding the thermodynamics of heat islands and actively developing solutions to create cooler healthier cities.

Recommendations

Based on the findings of this study, the following recommendations are proposed to reduce the intensity of Urban Heat Island and improve urban climate sustainability:

1. Municipal authorities should expand urban green spaces through the establishment of parks, urban forests, green roofs, and green walls. Increased vegetation enhances evapotranspiration, provides shade, and reduces surface and air temperatures within cities.
2. Urban planners and construction professionals should encourage the use of reflective roofing materials, cool pavements, and light-colored building surfaces. These materials reduce solar heat absorption and minimize heat storage in urban structures.
3. Future urban development should incorporate climate-responsive designs that improve natural ventilation and reduce heat trapping. Building layouts, street orientations, and open spaces should be designed to facilitate airflow and thermal comfort.
4. Governments should implement policies that promote energy efficiency in buildings, industries, and transportation systems. The adoption of renewable energy technologies and energy-efficient appliances can significantly reduce waste heat released into the urban environment.
5. Large-scale tree planting initiatives should be prioritized, especially along streets, parklands, and residential neighborhoods. Trees provide shading, absorb carbon dioxide, and contribute to local cooling.
6. Investment in public transportation, cycling infrastructure, and pedestrian-friendly urban designs can reduce vehicle dependence and lower heat emissions from transportation activities.

7. Cities should establish comprehensive temperature monitoring networks using weather stations, remote sensing technologies, and Geographic Information Systems (GIS). Such systems can provide real-time information for urban climate management and heatwave preparedness.
8. Public education campaigns should be implemented to increase awareness of Urban Heat Island causes, impacts, and mitigation measures. Community participation in tree planting, green infrastructure maintenance, and sustainable practices can strengthen adaptation efforts.
9. Urban heat mitigation strategies should be integrated into local and national climate adaptation and sustainability policies. This integration will ensure coordinated actions that address both climate change and urban thermal stress.
10. Future studies should focus on city-specific analyses of Urban Heat Island dynamics, the effectiveness of mitigation strategies under different climatic conditions, and the interactions between urban heat islands and global climate change. Advanced modeling techniques and long-term monitoring programs should be supported to improve understanding and policy development.

References

- Adeniji, O.A (2021). Land use change and vegetation loss in Abuja, Nigeria. Implications for urban climate. *Environmental Challenges*, 4, 100192
- Akbari, H., & Kolokotsa, D. (2020). Benefits of cool roofs and cool pavements in urban areas. *Energy and Buildings*, 255, 111602.
- Akbari, H., Pomerantz, M., & Taha, H. (2019). Cool surface and shade trees to reduce energy use and improve air quality in urban areas. *Solar Energy*, 70(3), 295–310.
- Alonzo, M., Ibsen, P. C., & Locke, D. H. (2025). Urban trees and cooling: A review of the recent literature (2018–2024). *Arboriculture & Urban Forestry*, 51, Article 2025-023.
- Assenova, A., Vitanova, L., & Petrova-Antarova, I. (2024). Urban heat islands from multiple perspectives: Trends across disciplines. *Urban Climate*, 56, 102075.
- Azam, M. H., Berger, J., Walther, E., & Guarnouti, S. (2025). Urban microclimate modeling with detailed longwave radiative flux representation at district scale. *arXiv Preprint. arXiv:2504.01736*.
- Ebi, K.-L., & Capon, A. (2022). Urban heat and health: Emerging risks in a warming world. *Annual Review of Public Health*, 43, 115–132.

- Encyclopedia Britannica. (2026). *Albedo*. Encyclopedia Britannica. Retrieved June 20, 2026, from [britanika.com](https://www.britanika.com).
- Ibeabuchi, U., Oni, T., & Adeaga, O. (2021). Synthesized effect of land surface modification and net radiation on the urban climate: Lagos metropolis. *Journal of Applied Science and Education*.
- Islam, S., Karipot, A., Bhawar, R., Sinha, P., Kedia, S., & Khan, M. (2024). Urban heat island effect in India: A review of current status, impact and mitigation strategies. *Discover Cities*, 1(34).
- Joshi, K., Khan, A., Anand, P., & Sen, J. (2024). Understanding the synergy between heat waves and the built environment: A three-decade systematic review informing policies for mitigating urban heat islands in cities. *Sustainable Earth Review*, 7(5).
- Lee, H., & Lee S. (2024). Urban heat exposure and cardiovascular risk in densely built environments: *Environmental Health Perspective*, 132(3), 027001.
- Oguntunde, P. G., Abiodun, B., Idowu, O., & Oluwatayo, A. D. (2021). Assessment of urban heat island effects on temperature and energy consumption in Lagos, Nigeria. *Environmental Monitoring and Assessment*, 193, 114.
- Oke, T. R. (2017). *Boundary layer climates*. Routledge.
- Owoeye, J. O., & Ibitoye, O. A. (2020). Urban expansion and green space loss in Lagos metropolis, Nigeria. *Environmental Monitoring and Assessment*, 192, 1–16.
- Santamouris, M., Yun, G. Y., & Evans, J. (2021). Cool pavements: State of the art and future perspectives. *Energy and Buildings*, 231, 110120.
- Stathopoulos, T., & Zannetti, P. (2019). The role of urban design in managing heat island effects. *Building and Environment*, 44(4), 861–870.
- Taha, H. (2017). Urban climates and heat islands: Albedo, evapotranspiration, and anthropogenic heat. *Energy and Buildings*, 25(2), 99–103.
- Zwolak, K. (2017). Promoting ecosystems and human health in urban areas using green infrastructure: A literature review. *Landscape and Urban Planning*, 81(3), 167–178.